

# **SAFETY DATA SHEET**

Issue Date 03-Mar-2016

Revision Date 06-Jun-2019

Version 2

#### **1. PRODUCT AND COMPANY IDENTIFICATION**

Product identifier **Product Name** Double Dry

Other means of identification SDS#

Details of the supplier of the safety data sheet **Company Name** Newline Industries LLC

111 Highline Drive Longwood, FL 32750 407-480-5464

JC-013-030

Emergency telephone number **Emergency Telephone** 

INFOTRAC 1-800-535-5053

2. HAZARDS IDENTIFICATION

Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 5
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 1B
Aspiration toxicity	Category 1

Label elements

**Emergency Overview** 

# Danger

**Hazard statements** Harmful if swallowed May be harmful in contact with skin Causes skin irritation Causes serious eye damage May cause cancer May be fatal if swallowed and enters airways



Appearance Clear

Physical state Liquid

Odor Mild

#### **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention Specific treatment (see Section 4 of SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting

# Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC) Other Information

Unknown Acute Toxicity

8% of the mixture consists of ingredient(s) of unknown toxicity

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Straight Run Middle Distallates (Petroleum)	64742-46-7	30-60	*
Quaternary Ammonium Compounds, DiCocoalkyl, Dimethyl, Chlorides	61789-77-3	10-30	*
2-butoxyethanol	111-76-2	10-30	*
2-Propanol	67-63-0	3-7	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES				
First aid measures				
General advice	If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing.			
Skin Contact	Consult a physician if necessary. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is not required. If skin irritation persists, call a physician.			
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician. Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.			
Inhalation	Remove to fresh air. Call a physician. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Immediate medical attention is not required. Move to fresh air in case of accidental inhalation of vapors. If symptoms persist, call a physician.			
Ingestion	Rinse mouth. Drink plenty of water. If symptoms persist, call a physician. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician.			
Self-protection of the first aider	Use personal protective equipment as required.			
Most important symptoms and eff	Most important symptoms and effects, both acute and delayed			
Symptoms	Any additional important symptoms and effects are described in Section 11: Toxicology Information.			
Indication of any immediate medical attention and special treatment needed				
Note to physicians	Treat symptomatically.			
5. FIRE-FIGHTING MEASURES				

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media** Caution: Use of water spray when fighting fire may be inefficient.

### Specific hazards arising from the chemical

No Information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures			
Personal precautions	Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.		
Environmental precautions			
Environmental precautions	Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.		
Methods and material for containm	ent and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Cover liquid spill with sand, earth or other non-combustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled containers. Soak up with inert absorbent material. Dam up.		
7. HANDLING AND STORAGE			
Precautions for safe handling			
Precautions for safe handling Advice on safe handling	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Use with local exhaust ventilation.		
	Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Use with local exhaust ventilation.		
Advice on safe handling	Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Use with local exhaust ventilation.		
Advice on safe handling Conditions for safe storage, includ	<ul> <li>Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Use with local exhaust ventilation.</li> <li>Ing any incompatibilities</li> <li>Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place. Keep in properly</li> </ul>		

#### Control parameters

Exposure Guidelines	Exposure guidelines noted for ingredient(s).			
Chemical Name	ACGIH TLV OSHA PEL		NIOSH IDLH	
2-butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup> (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m <sup>3</sup>	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m³	
		(vacated) S* S*		
2-Propanol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m <sup>3</sup> (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>	

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Appropriate engineering controls

Engineering Controls	Showers, Eyewash stations & Ventilation systems.		
Individual protection measures, su	ich as personal protective equipment		
Eye/face protection	Wear safety glasses with side shields (or goggles). Wear a face shield if splashing hazard exists.		
Skin and body protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.		
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.		
General Hygiene	When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.		

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Appearance	Liquid Clear	
Color	Colorless to Light Amber	
Odor	Mild	
Odor threshold	No Information available	
Property_	<u>Values</u>	Remarks • Method
рН	7.0 - 9.0	
Specific Gravity	.8765	
Viscosity	No Information available Not Applicable	
Melting point/freezing point	No Information available	
Flash point	No Information available	
Boiling point / boiling range		
Evaporation rate	No Information available	
Flammability (solid, gas)	No data available	
Flammability Limits in Air		
Upper flammability limit:	No Information available	
Lower flammability limit:	No Information available	
Vapor pressure	No Information available	
Vapor density	No Information available	

Water solubility	Complete
Partition coefficient	No Information available
Autoignition temperature	No Information available
Decomposition temperature	No Information available
Other Information	
Density Lbs/Gal VOC Content (%)	7.31 21.4

#### **10. STABILITY AND REACTIVITY**

#### **Reactivity**

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

#### Conditions to avoid

Extremes of temperature and direct sunlight.

#### Incompatible materials

None known based on information supplied.

#### Hazardous Decomposition Products

None known based on information supplied.

## **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

#### Product Information

Inhalation	Avoid breathing vapors or mists. May be fatal if swallowed and enters airways.
Eye contact	Avoid contact with eyes. Causes serious eye damage.
Skin Contact	Avoid contact with skin. Causes skin irritation.
Ingestion	Do not taste or swallow. Harmful if swallowed. Not an expected route of exposure.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Straight Run Middle Distallates (Petroleum)	= 7400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 4.6 mg/L (Rat)4 h
64742-46-7			
Quaternary Ammonium Compounds, DiCocoalkyl, Dimethyl,	= 960 mg/kg (Rat)	-	-
Chlorides			
61789-77-3			

2-butoxyethanol 111-76-2	= 470 mg/kg(	,		g/kg (Rabbit)	= 486 ppm (Rat) 4 h = 450 ppm Rat) 4 h				
2-Propanol 67-63-0	= 1870 mg/kg (Rat)		= 4059 mg/kg (Rabbit)		= 72600 mg/m³(Rat)4 h				
Information on toxicological effe	Information on toxicological effects_								
Symptoms	No Information	n available.							
Delayed and immediate effects	as well as chronic	effects from	n short and I	ong-term exposu	<u>e</u>				
Sensitization	No Information								
Germ cell mutagenicity	No Information								
Carcinogenicity				<u> </u>	any ingredient as a carcinogen				
Chemical Name	ACGIH	IAI		NTP	OSHA				
2-butoxyethanol 111-76-2	A3	Grou	•	-	-				
2-Propanol 67-63-0 ACGIH (American Conference o	-	Grou	X						
Group 3 -Not classifiable as a hun OSHA (Occupational Safety and X - Present	l Health Administrati		Department o	f Labor)					
Reproductive toxicity		No Information available.							
STOT - single exposure		No Information available.							
STOT - repeated exposure		No Information available.							
Chronic toxicity		Avoid repeated exposure. May cause adverse effects on the bone marrow and blood- forming system. May cause adverse liver effects.							
Target organ effects		Blood, Central nervous system, EYES, hematopoietic system, Kidney, Liver, Respiratory							
Aspiration hazard	No Information available.								
Numerical measures of toxicity - Product Information									
Unknown Acute Toxicity 8% of the mixture consists of ingredient(s) of unknown toxicity									
The following values are calcula			he GHS docu	iment .					
ATEmix (oral)									
ATEmix (dermal)	2,841.00 mg/kg								
ATEmix (inhalation-dust/mis	ATEmix (inhalation-dust/mist) 9.90 mg/l								
	12. ECC			ATION					

#### **Ecotoxicity**

33.6% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Straight Run Middle Distallates	-	35: 96 h Pimephales promelas mg/L	-
(Petroleum)		LC50 flow-through 10000: 96 h	
64742-46-7		Pimephales promelas mg/L LC50	
		static	
2-butoxyethanol	-	1490: 96 h Lepomis macrochirus	1698 - 1940: 24 h Daphnia magna
111-76-2		mg/L LC50 static 2950: 96 h	mg/L EC50 1000: 48 h Daphnia
		Lepomis macrochirus mg/L LC50	magna mg/L EC50
2-Propanol	1000: 96 h Desmodesmus	9640: 96 h Pimephales promelas	13299: 48 h Daphnia magna mg/L
67-63-0	subspicatus mg/L EC50 1000: 72 h	mg/L LC50 flow-through 1400000:	EC50
	Desmodesmus subspicatus mg/L	96 h Lepomis macrochirus µg/L	
	EC50	LC50 11130: 96 h Pimephales	
		promelas mg/L LC50 static	

#### Persistence and degradability

No Information available.

#### Bioaccumulation

No Information available.

Chemical Name	Partition coefficient
2-butoxyethanol 111-76-2	0.81
2-Propanol 67-63-0	0.05

Other adverse effects

No Information available

#### 13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
2-Propanol	Toxic
67-63-0	Ignitable

#### **14. TRANSPORT INFORMATION**

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

#### DOT

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

	15. REGULATORY INFORMATION
International Inventories	
TSCA	Complies
DSL/NDSL	Complies

Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

#### US Federal Regulations

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
2-butoxyethanol - 111-76-2	1.0
2-Propanol - 67-63-0	1.0

#### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-butoxyethanol	Х	X	X
111-76-2			
2-Propanol	Х	X	Х
67-63-0			

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION				
<u>NFPA</u>	Health hazards 2	Flammability 0	Instability 0	Physical and Chemical Properties -
HMIS	Health hazards 2	Flammability 0	Physical hazards 0	Personal protection X
Issue Date Revision Date				

Revision Date Revision Note No Information available Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### End of Safety Data Sheet