



Foamy Lavender

1 Identification

GHS Product Identifier

Foamy Lavender

Other means of identification

SDS Code JC-013-085

Supplier's details

Newline Industries LLC
111 Highline Drive
Longwood, FL 32750
407-480-5464

Emergency phone number

INFOTRAC 1-800-535-5053

2 Hazard(s) identification

Classification of the substance or mixture

Flammable Liquids: Category 4

Eye Irritation: Category 1

Skin Irritation: Category 2

GHS label elements

Danger



Combustible liquid

May be harmful if swallowed

Causes skin irritation

Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

Wear protective gloves/protective clothing/eye protection/face protection.

In case of fire: Use blanket to extinguish.

Store in a well-ventilated place.

Dispose of contents/container to in accordance with local/state/national regulations.

Call a POISON CENTER or doctor/physician if you feel unwell.

Wash hands thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

3 Composition/information on ingredients

Description	CAS Number	EINECS Number	%	Note
1-dodecanamine.n,n-dimethyl Oxide	1643-20-5		20 - 30	
Isopropyl Alcohol	67-63-0		1 - 5	
Benzyl Benzoate	120-51-4		1 - 5	
Linalool	78-70-6		0.1 - 0.5	

4 First-aid measures

Description of necessary first-aid measures

Inhalation: Move to fresh air. Call a physician if symptoms develop or persist.

Skin Contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Ingestion: Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important symptoms/effects, acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.

Indication of immediate medical attention and special treatment needed, if necessary

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

5 Fire-fighting measures

Suitable extinguishing media

Alcohol-resistant foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.

Unsuitable Extinguishing media: None

Specific hazards arising from the chemical

The vapour is heavier than air, spreads along the ground and distant ignition is possible. Carbon monoxide may be evolved if incomplete combustion occurs.

Special protective actions for fire-fighters

Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This product is miscible in water. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

7 Handling and storage

Precautions for safe handling

Do not get this material in contact with eyes. Do not taste or swallow. Avoid contact with eyes, skin, and clothing. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8 Exposure controls/personal protection

Control parameters

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures

Eye/face protection: Wear safety glasses with side shields (or goggles) and a face shield.

Skin/Hand protection: Use protective gloves made of: Butyl rubber. Neoprene. Nitrile. Polyvinyl chloride (PVC). Rubber (natural, latex).

Other: Wear appropriate chemical resistant clothing.

Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards: Wear appropriate thermal protective clothing, when necessary

General hygiene considerations: Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9 Physical and chemical properties

Physical and chemical properties

Physical state Liquid

Appearance	Clear
Color	Colorless to Light Amber
Odor	Mild
Odor threshold	No Information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH		
Specific Gravity		
Viscosity	No Information available	
Melting point/freezing point	No Information available	
Flash point	No Information available	
Boiling point / boiling range	No Information available	
Evaporation rate	No Information available	
Flammability (solid, gas)	No data available	
Flammability Limits in Air		
Upper flammability limit:	No Information available	
Lower flammability limit:	No Information available	
Vapor pressure	No Information available	
Vapor density	No Information available	
Water solubility	Complete	
Partition coefficient	No Information available	
Autoignition temperature	No Information available	
Decomposition temperature	No Information available	

Other Information

Density Lbs/Gal

10 Stability and reactivity

Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability

Material is stable under normal conditions.

Possibility of hazardous reactions

Hazardous polymerization does not occur.

Conditions to avoid

Avoid temperatures exceeding the decomposition temperature. Contact with incompatible materials.

Incompatible materials

Peroxides. Phenols.

Hazardous decomposition products

No hazardous decomposition products are known.

11 Toxicological information

Toxicological (health) effects

This composition has not been subjected to toxicological testing as an entity. However, this preparation should be considered and handled with all possible precaution.

Information on the likely routes of exposure

Exposure may occur via inhalation, ingestion, skin absorption, skin or eye contact, and accidental ingestion.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.

Delayed and immediate effects and also chronic effects from short and long term exposure

Inhalation: No adverse effects due to inhalation are expected.

Skin Contact: Causes skin irritation.

Eye Contact: Causes serious eye damage.

Ingestion: Harmful if swallowed.

Numerical measures of toxicity (such as acute toxicity estimates)

1-dodecanamine, n,n-dimethyl Oxide (CAS 1643-20-5)

Acute Oral LD50 (rat): >300 mg/kg

Isopropyl Alcohol (CAS 67-63-0)

Acute Oral LDro (rat): >5000 mg/kg

Other information

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

STOC Single Exposure: May cause drowsiness and dizziness.

STOC Repeated Exposure: None Known

12 Ecological information**Toxicity**

Toxicity to Fish: Practically non toxic: LL/EL/IL50 > 100 mg/l

Toxicity to Algae: Practically non toxic: LL/EL/IL50 > 100 mg/l

Toxicity to dahlia/invertebrates: Practically non toxic: LL/EL/IL50 > 100 mg/l

Toxicity to microorganisms: Practically non toxic: LL/EL/IL50 > 100 mg/l

Persistence and degradability

Readily biodegradable. Oxidises rapidly by photo-chemical reactions in air.

Bioaccumulative potential

Does not bioaccumulate significantly.

Mobility in soil

Dissolves in water. If the product enters soil, one or more constituents will or may be mobile and may contaminate groundwater.

Other adverse effects

None Known

13 Disposal considerations**Disposal methods**

Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Do not dispose into the environment, in drains or in water courses. Waste product should not be allowed to contaminate soil or water.

Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

Drain container thoroughly. After draining, vent in a safe place away from sparks and fire. Residues may cause an explosion hazard. Do not, puncture, cut, or weld uncleaned drums. Send to drum recoverer or metal reclaimer.

14 Transport information**UN Number**

3082

UN Proper Shipping Name

Environmentally hazardous substance, liquid, n.o.s. (Amine Oxide), MARINE POLLUTANT

Transport hazard class(es)

9

Packing group, if applicable

III

Environmental hazards

Marine Pollutant

Special precautions for user

Read safety instructions, SDS and emergency procedures before handling.

15 Regulatory information**Safety, health and environmental regulations specific for the product in question****International Inventories**

TSCA	Complies
DSL/NDSL	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Isopropyl Alcohol (67-63-0)	5

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl Alcohol	-	-	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16 Other information**Other information**

NFPA	Health hazards 3	Flammability 1	Instability 0	Physical and Chemical Properties -
HMIS	Health hazards 3	Flammability 1	Physical hazards 0	Personal protection X

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.